

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L28	4	((("6698561") or ("6003647")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 12:10
L29	12	("4177885" "4431094" "4469206" "5348127" "5385222" "5501309" "5575363" "5715920" "5738198" "5819896" "6016894" "6142272").PN. OR ("6003647" "6698561").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/16 12:10

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	96788	engine near1 speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 09:45
L12	10385	vehicle near1 stopped	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 09:45
L13	4590	transmission near1 neutral	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 09:46
L14	1823	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 09:46
L15	200	13 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:03
L16	23951	torque near1 converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
L17	4139	lock-up near1 clutch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
L18	4753	(lock near1 up) near1 clutch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
L19	2700	lockup near1 clutch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04

L20	6965	17 or 18 or 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
L21	4865	16 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
L22	218480	pressure near1 (difference or differential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:05
L23	808	21 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:05
L24	647	clutch near1 (biased or pretensioned)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:05
L25	163977	spring near1 (plate or leaf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:06
L26	58	23 and (24 or 25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:06